



RESTRICTED USE PESTICIDE
Toxic to fish and aquatic organisms
 For retail sale to and use only by certified applicators or persons under their direct supervision and only for the uses covered by the certified applicator's certification

FIFRA 24(c) Special Local Need Label (SLN)

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WYOMING

**For Control of Lygus Bugs, Weevils, Aphids, Spider Mites on
 Alfalfa Grown for Seed**

FANFARE® ES
 INSECTICIDE

For Agricultural or Commercial Use Only

EPA Reg. No. 66222-236

SLN No. WY-200001

Active Ingredient:		
Bifenthrin (CAS No. 82657-4-3).....	22.6%	
Other Ingredients	77.4%	
Total:		100.0%

Fanfare ES is a suspension concentrate insecticide containing 2 pounds of bifenthrin per gallon

KEEP OUT OF REACH OF CHILDREN
WARNING

This label is valid until December 31, 2025 or until otherwise amended, withdrawn, cancelled, or suspended.

Directions for Use

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This label must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and pre-cautions on the EPA-registered label.
- The complete DIRECTIONS FOR USE can be found on the currently registered EPA Stamped Label.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any reequipments specific to your STATE or Tribe, consult the agency responsible for pesticide regulation.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR PEST CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.



Fanfare® ES is a selective insecticide for the control of lygus bugs, weevils, aphids and spider mites in alfalfa grown for seed. Fanfare ES works primarily by ingestion, but also has some contact activity.

- To control lygus bugs, weevils, aphids and spider mites, apply FANFARE ES at the rate of 3.9 to 6.4 fluid ounces (0.06 to 0.1 lb.) per acre.
- Apply in a minimum of 5 gallons of water per acre by air equipment and a minimum of 20 gallons of water by ground equipment.
- Make aerial or ground applications when the wind velocity favors on target product disposition (approximately 3 to 7 MPH)
- Do not apply when wind velocity exceeds 7 MPH
- For aerial applications, the spray boom should be mounted on the aircraft to minimize drift caused by wingtip or rotor vortices. Boom length must not exceed 75% of wing span or rotor diameter.
- Follow the spray drift precautions on the EPA registered label.

CROP USE DIRECTIONS: for control of lygus bugs, weevils, aphids and spider mites

CROP	PEST	Application Rate (fluid ounces per acre)
Alfalfa grown for seed	Lygus bugs, weevils, aphids and spider mites	3.9 to 6.4

Restrictions:

- Do not apply more the 6.4 fluid ounces (0.1 lb. active ingredient) per acre per treatment.
- Maintain a minimum of 21 days between FANFARE ES treatments.
- Do not apply more than 19.2 fluid ounces (0.3 lb. active ingredient) per acre per year
- Low humidity and high temperatures increase the evaporation rate of spray droplets and, therefore, the likelihood of increased spray drift to aquatic areas. Avoid spraying during condition of low humidity and/or high temperature. Do not make aerial or ground applications during temperature inversions.
- Do not make aerial or ground applications to alfalfa grown for seed if heavy rainfall is imminent.
- Do not apply by ground equipment within 25 feet, or by air within 150 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries, and commercial fish farm ponds.
- Do not cut current year's treated alfalfa grown for seed crop for hay or forage.
- Don not graze current year's treated alfalfa grown for seed crop.
- Treated alfalfa seed cannot be used for growing sprouts for human or animal consumption
- Producers of alfalfa grown for seed that use this product or cause the product to be used on fields they operate, are required to inform, in writing, conditioners receiving seed produced on fields treated with this product. A copy of this labeling is required to be provided to the conditioner by the producer.
- Processed seed must be labeled "**Not for human or animal consumption**" at the processing plant. The processor must dispose of all seed screenings in such a way that they cannot be distributed or used for food or feed.



- Screenings and seed from conditioning are prohibited from feed channels. All FANFARE ES treated alfalfa grown for seed screenings must be removed from the feed market.
- Do not apply through chemigation.

Bee Statement: FANFARE ES is a highly selective insecticide but is toxic when bees are exposed to direct treatment or residues. Do not apply FANFARE ES or allow it to drift to blooming crops or weeds while bees are actively foraging in the treatment area. Apply as a pre-bloom or post-bloom spray only.

Note: Information is provided on use of the 2 fl. oz rate during bloom to minimize the hazard to pollinators. While use of the 2 fl. oz. rate is legal, ADAMA does not recommend the 2 fl. oz. rate since efficacy may not be as good as the full labeled rate. Users wishing to apply the 2 fl. oz. rate during bloom must be willing to accept reduced product efficacy, to protect pollinators.

FANFARE® is a registered trademark of ADAMA

24(c) Registrant:
Makhteshim Agan of North America, Inc.
d/b/a ADAMA
3120 Highwoods Blvd., Suite 100
Raleigh, NC 27604

