

FIFRA Section 24(c) Special Local Need



Danger - Poison

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF MONTANA AND WYOMING
For decontamination of leafcutting bee nest material and leafcutting bee cells only.

EPA Reg. No. 4972-43
EPA SLN No. MT-12-0001, WY – 12-0002

This label is valid until December 31, 2017 or until otherwise amended, withdrawn, canceled, or suspended.

- It is a violation of Federal law to use this product in a manner inconsistent with the labeling.
- This state-specific Section 24(c) labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restriction, and precautions on the EPA registered label for EPA Reg. No. 4972-43.

Active Ingredient By Wt.

Paraformaldehyde	91%
Other Ingredients	9%
Total 100%	

DIRECTIONS FOR USE:

Place nest material or bee cells in well-sealed fumigation chamber. Because problems may occur with persistence of formaldehyde vapor under certain conditions, treatment of nest material or bee cells must only be undertaken in a building set aside specifically for paraformaldehyde fumigation and not used for any other purpose. Review MSDS prior to use and ensure access to MSDS during treatments. Prior to fumigation, condition nest material or bee cells in the chamber for 48 hours at 20-25°C with a relative humidity of 60-70%. Fumigate with paraformaldehyde at a rate of 1.1 lb. /1000 cubic ft. of fumigation chamber by placing product in heat generation unit (electric frying pan) attached to electric timer. Set timer to heat product for 4 hours at maximum heat setting in sealed and locked chamber. After a 24 hour period, begin continuous ventilation of chamber by exhausting from the top of the chamber and ensuring an adequate incoming flow of fresh air. Ventilate for 48-72 hours. If an odor of formaldehyde is still detectable, ventilate for an additional 24-48 hours. Open and re-enter chamber only after completion of adequate ventilation. Following fumigation, deploy nest material directly in the field. Bee cells should be placed in the incubator following adequate ventilation.

USE RESTRICTIONS

Applicators must be aware of the need to minimize impacts to migratory birds, particularly nesting and developing young that are more vulnerable to toxicity. Since releases to the environment are largely confined to vents at fumigation facilities, facility designation procedures and designs should take into account the location of occupied nesting habitat and potential nesting habitat in an effort to avoid direct exposure to birds. Facilities should be sited away from nesting bird habitats, or the timing of fumigations should be altered to avoid periods of increased bird use in the surrounding area.

PLACARDING OF TREATED AREA:

All entrances to the treated structure must be placarded. Placards must be made of substantial material that can be expected to withstand adverse weather conditions and must bear the wording as follows:

1. The signal words DANGER/PELIGRO and the SKULL AND CROSSBONES symbol in red.
2. The statement "Structure and/or commodity under fungicide treatment.
3. The statement "DO NOT ENTER/NO ENTRE".
4. The date the treatment begins.
5. Name and EPA registration number of fungicide used and EPA SLN MT number.
6. A 24-hour emergency response telephone number.

FIRST AID:

If inhaled, remove to fresh air. If breathing has stopped, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. Wash clothing before reuse. Discard contaminated leather clothing.

If swallowed, induce vomiting. Give tablespoon of salt in a glass of warm water or stick finger down throat. Repeat until vomit liquid is clear. Give milk or white of egg beaten with water. Never give anything by mouth to an unconscious person. Call a physician or poison control centre. Call a physician or poison control center. Take container, label, MSDS, or EPA Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Pulmonary edema can occur. Signs and symptoms of pulmonary edema can be delayed for several hours. Treat symptomatically.

PRECAUTIONS:

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Harmful or fatal if swallowed. Avoid contamination of food. Avoid prolonged or repeated contact with skin, eyes, and clothing. Use with adequate ventilation. Wash thoroughly before eating, drinking, chewing gum, or using tobacco. Do not use or store near heat or open flame.

PROTECTIVE CLOTHING AND RESPIRATORY PROTECTION:

Use full-face NIOSH-approved formaldehyde or acid gas cartridge or canister respirator with particulate filter within use limitations of these devices; in all other situations, use self-contained breathing apparatus (SCBA). When handling paraformaldehyde, wear goggles, neoprene or rubber gloves, and impervious clothing. Wash thoroughly with soap and water after handling. Observe conditions listed in "Storage" section below.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and wildlife. Treated fluid should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

IN CASE OF FIRE:

Use CO₂ or dry chemical for small fires, alcohol-type aqueous film-forming foam or water spray for large fires. Use water spray to cool fire-exposed vessels or structures. Wear self-contained breathing apparatus (SCBA) and complete personal protective equipment when potential for exposure to vapor or products of combustion exists.

IN CASE OF SPILL:

Clean up immediately. Place leaking containers in well-ventilated area. Eliminate ignition sources. To clean up spill, flush area sparingly with water or use an absorbent. Avoid runoff into storm sewers and ditches leading to natural waterways. Neutralize with ammonium hydroxide or sodium sulfite. Contact the manufacturer and the Montana Department of Agriculture in case of a spill, and for clean-up of spills.

STORAGE AND DISPOSAL:

Do not contaminate water, food, feed by storage or disposal. Store in original container in a cool, dry place inaccessible to children and pets with adequate ventilation. Storage facilities should be non-combustible and provided with automatic sprinklers.

PESTICIDE DISPOSAL:

Pesticide wastes are toxic. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of federal law. If these wastes cannot be used according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance in proper disposal methods. For information on disposal of unused, unwanted product, contact the manufacturer or the Montana Department of Agriculture.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Protexall Products, Inc.

73356 Hwy 41
Pearl River LA 70452
1-800-458-2699